



Technical Note

Policy Manager 6.1 to 7.0 Upgrade

SOA Software, Inc.

12100 Wilshire Blvd, Suite 1800

Los Angeles, CA 90025

866-SOA-9876

www.soa.com

info@soa.com

Copyright © 2014 by SOA Software, Inc.

Disclaimer: The information provided in this document is provided "AS IS" WITHOUT ANY WARRANTIES OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. SOA Software may make changes to this document at any time without notice. All comparisons, functionalities and measures as related to similar products and services offered by other vendors are based on SOA Software's internal assessment and/or publicly available information of SOA Software and other vendor product features, unless otherwise specifically stated. Reliance by you on these assessments / comparative assessments are to be made solely on your own discretion and at your own risk. The content of this document may be out of date, and SOA Software makes no commitment to update this content. This document may refer to products, programs or services that are not available in your country. Consult your local SOA Software business contact for information regarding the products, programs and services that may be available to you. Applicable law may not allow the exclusion of implied warranties, so the above exclusion may not apply to you.

Table of Contents

1	Overview	2
2	Perform Policy Manager 6.1 to 7.0 Upgrade	3
	Step 1: Turn off simple.scheduler.enabled Property (for PM61 SOA Containers with Policy Manager Features Installed)	3
	Step 2: Install Policy Manager 7.0	4
	Step 3: Copy PM61 Container Instances to PM70	5
	Step 4: Upgrade Container Instance	5
	Step 5: Reconfigure startup.bat/sh and RegisterContainerService.bat/sh files ...	10
	Step 6: Unregister and re-register the Windows Service	10
	Step 7: Start SOA Container	10
	Step 8: Clear Browser Cache	11
	Step 9: Launch SOA Software Administration Console	11
	Step 10: Refresh Repository	12
	Step 11: Update Schemas (for SOA Containers with Policy Manager Features Installed)	13
	Step 12: Turn on simple.scheduler.enabled Property (for updated PM70 SOA Containers with Policy Manager Features Installed)	13
	Step 13: Restart SOA Container (for SOA Containers with Policy Manager Features Installed)	14
	Step 14: Set Quartz Trigger Property to True (MSSQL only)	14
	Step 15: Update Container Metadata	14
3	About SOA Software	16

1 Overview

This technical note provides instructions for upgrading your Policy Manager 6.1 (PM61) installation to Policy Manger 7.0 (PM70).

2 Perform Policy Manager 6.1 to 7.0 Upgrade

The PM61 upgrade requires that the PM70 product be installed into the *same* installation directory as PM61. The PM61 containers must then be copied into the PM70 installation directory and upgraded from this installation.

The upgrade can be performed with any denomination of Policy Manager updates applied to your PM61 Release Directory (i.e., zero updates - soa-update-6.1.24).


To upgrade, perform the following steps:

Step 1: Turn off `simple.scheduler.enabled` Property (for PM61 SOA Containers with Policy Manager Features Installed)

1. Before you shut down your PM61 containers to begin the upgrade process, you must configure the `simple.scheduler.enabled` property to **False**. This will eliminate schema exceptions during startup, since the latest schema has not been installed. To do this:


1. Launch the *SOA Software Administration Console* for PM61.
2. Click the "Configuration" tab.
3. In the "Configuration Categories" section select `com.soa.scheduler`.
4. For the `simple.scheduler.enabled` property, select **False** from the drop-down list box.
5. Click **Apply Changes** to save your entry.

Note: This task should be performed on the Policy Manager container instance only.



Step 2: Install Policy Manager 7.0

Install Policy Manager 7.0

Step	Procedure
1.	Backup your PM61 Database.
2.	<p>Stop any SOA Containers that are currently running. This is required to update the Policy Manager schema to PM70. This ensures that the database is not locked while the update is in progress.</p> <p><i>Refer to "Appendix A: Start / Stop / Restart Container Instance" of the "SOA Software Platform 7.0 Installation Guide for Windows and UNIX Platforms" for instructions.</i></p>
3.	Backup your PM61 Release Directory.
4.	<p>Delete the contents of the existing PM61 directory.</p> <p>Install the SOA Software Platform 7.0 application (e.g., <platform>-pm-7.0.xxxx-setup64.exe or <platform>-pm-7.0.xxxx-setup64.bin) and specify your PM61 Release Directory as the target directory.</p> <p>For example, if your PM61 installation is installed to the "c:\policymanager61" directory, enter that directory name:</p> <p>Here for the GUI installation:</p>  <p>Or here for the Console Installation:</p>

Install Policy Manager 7.0

```
-----  
Choose Install Folder  
-----  
/opt/policymanager61  
  
Where Would You Like to Install?  
  
Default Install Folder: /opt/policymanager61  
  
ENTER AN ABSOLUTE PATH. OR PRESS <ENTER> TO ACCEPT THE DEFAULT  
: /opt/policymanager61  
  
INSTALL FOLDER IS: /opt/policymanager61  
IS THIS CORRECT? (Y/N): Y
```

Refer to "Chapter 1: Installing and Configuring SOA Software Platform" of the *SOA Software Platform 7.0 Installation Guide for Windows and UNIX Platforms* for installation instructions.

After the installation is complete **Do not launch the "Configure Container Instance Wizard."**

Step 3: Copy PM61 Container Instances to PM70

1. From your PM61 backup directory, *manually* copy the PM61 container instances (sm60/instances/<pm_instance) to the PM70 container instances folder (sm70/instances/<pm_instance). This includes PM61, Network Director, and Agent container instances.

Note: Do not include the PM61 configurator or the PM61 default container folder as part of the copy process.

Step 4: Upgrade Container Instance

Perform the following update procedure on each SOA Container you would like upgraded to PM70 using the "Configure Container Instance Wizard." GUI, Silent, and Command Line procedures are provided.

Note: Prior to performing the upgrade, verify that *Step 3: Copy PM61 Container Instances to PM70* has been completed.

Upgrade SOA Container to Policy Manager 7.0 (GUI)

1. Two methods can be used to launch the "Configure Container Instance Wizard."
 - 1) Launch from the SOA Software Platform Program Group:

Click the **Start** menu, navigate to the SOA Software Platform Program Group, and click **Configure Container Instance**.


Upgrade SOA Container to Policy Manager 7.0 (GUI)

2) Perform a manual start:

Navigate to the SOA Software Platform Release Directory `c:\sm70\bin` and enter:

```
startup configurator
```

The "Welcome to Configure Container Instance Wizard" screen displays. Review the information and click **Next** to continue.



The "Instance Name" screen displays. Specify the name of the "SOA Software Container Instance" the upgrade will be applied to and click **Next** to continue.

Note: The 7.0 version of the SOA Software Platform "Configure Container Instance Wizard" now includes a "Container Key" option on the "Instance Name" screen. **Leave this field blank and the current key will be picked up for the container being upgraded during the upgrade process.**

Upgrade SOA Container to Policy Manager 7.0 (GUI)



The screenshot shows the 'Configure Container Instance Wizard' dialog box. The title bar reads 'Configure Container Instance Wizard'. The main heading is 'Instance Name'. Below the heading, there is a paragraph: 'Provide an Instance Name. After the instance is registered as a "Container" in SOA Software Platform, the defined name will display in the "Containers" section of the Management Console.' To the left of the input fields is a blue vertical banner with the SOA software logo. The input fields are: 'Instance Name' with the text 'PolicyManager' entered, and 'Container Key' which is empty. Below the 'Container Key' field, there is a note: 'If you do not provide this field value, a system value will automatically be generated'. At the bottom of the dialog, there are four buttons: '< Back', 'Next >', 'Finish', and 'Cancel'.

The "Instance Already Exists" screen displays. To apply the PM61 to PM70 Upgrade, click the **Update** radio button, and **Next** to continue.

The screenshot shows the 'Configure Container Instance Wizard' dialog box. The title bar reads 'Configure Container Instance Wizard'. The main heading is 'Instance Already Exists'. Below the heading, there is a paragraph: 'An instance with this name already exists. If you do not wish to change this instance use the "Back" button and enter a different name.' To the left of the radio buttons is a blue vertical banner with the SOA software logo. The 'Select Action' section has three radio buttons: 'Overwrite' (unselected) with the description 'Overwrite the current instance.', 'Update' (selected) with the description 'Update the current instance.', and 'Rollback' (unselected) with the description 'Roll the instance back to a previous snapshot.' Below the radio buttons is a large empty rectangular area. At the bottom of the dialog, there are four buttons: '< Back', 'Next >', 'Finish', and 'Cancel'.

2. The "Instance Configuration Summary" screen displays. To apply the update(s), click **Finish**. Note that the SOA Container Instance must be stopped prior to applying the update(s).

Upgrade SOA Container to Policy Manager 7.0 (GUI)

	
3.	<p>The SOA Container update process begins and a progress indicator displays. After the update process is complete the "Update Complete" dialog displays and indicates the number of bundles that have been updated.</p> <hr/> <p>Note: The number of bundles displayed on the "Update Complete" message will vary based on your specific SOA Container configuration and number of updates being applied."</p> <hr/> 
4.	<p>Click OK on the "Update Complete" dialog. The "Configure Container Instance Wizard" closes.</p>

Upgrade SOA Container to Policy Manager 7.0 (Silent Upgrade)

Step	Procedure
1.	<p>The "Configure Container Instance Wizard" update process can be set up to run in an automated mode (i.e., silent). This is done by defining a properties file and pre-defining a set of property values to be used by the "Configure Container Instance Wizard" to automatically configure a Container instance.</p> <p><u>Define Silent Upgrade Property File</u></p> <ol style="list-style-type: none"> 1) Define a properties file (e.g., <code>upgrade.properties</code>) 2) Add the following default content: <pre>container.instance.name=policymanager wizard.mode=update</pre> <p><u>Run Silent Configuration</u></p> <p>The "Configure Container Instance Wizard (Silent Update)" properties file accepts two system properties which together are used to perform the silent update:</p> <ol style="list-style-type: none"> 1. silent (If True, silent configuration will be performed) 2. properties (location on filesystem of property file to be used for configuration) <p><u>Windows:</u></p> <pre>\sm70\bin>startup.bat configurator "-Dsilent=true" "-Dproperties=<property file directory location>/upgrade.properties"</pre> <p><u>UNIX:</u></p> <pre>\sm70\bin>startup.sh configurator -Dsilent=true -Dproperties=opt/<property file directory location>/upgrade.properties</pre>
2.	Run the silent upgrade.
3.	<p>After the silent upgrade is complete perform the following steps:</p> <ol style="list-style-type: none"> 1) Users that will not be utilizing the SOA Software Administration Console can install the "Policy Manager 7.0.0" schema manually using a third-party Database Schema Management Tool. <p><i>Refer to SOA Software Customer Support for assistance installing the "Policy Manager 7.0.0" schema.</i></p> <p>Users that will not be utilizing the SOA Software Administration Console can skip the remainder of this procedure.</p>

Upgrade SOA Container to Policy Manager 7.0 (Command Line)

1.	<p>You can also perform the upgrade process using a command line approach. Execute the following in the <code>sm70\bin</code> folder:</p> <p>Windows:</p>
----	--

Upgrade SOA Container to Policy Manager 7.0 (Command Line)

	<pre>startup.bat configurator "-Dsilent=true" "-Dcontainer.instance.name=<Instance name>" "-Dwizard.mode=update"</pre> <p>UNIX:</p> <pre>startup.sh configurator -Dsilent=true -Dcontainer.instance.name=<Instance name> - Dwizard.mode=update</pre>
--	---

Step 5: Reconfigure startup.bat/sh and RegisterContainerService.bat/sh files

If you made changes to your PM61 startup.bat/.sh or registerContainerService.bat files (i.e., to increase the java heap size), these changes must be updated in the corresponding PM70 installation files /sm70/bin/startup.bat/.sh and /sm70/bin/registerContainerService.bat.

Note: The default heap size for PM70 is 2048.

Step 6: Unregister and re-register the Windows Service

If the SOA Container is being started as a Windows Service, the service must be re-registered.

1.	<p><u>Unregister the existing Windows Service</u></p> <pre>./sm70/bin/unregisterContainerService.bat <instance_name></pre> <p><u>Re-register the Windows Service</u></p> <pre>./sm70/bin/registerContainerService.bat <instance_name></pre>
----	---

Step 7: Start SOA Container

After the "Configure Container Instance Wizard" update process is complete, start the SOA Container.


1.	<p>Start the SOA Container.</p> <p><u>Start Process in Windows</u></p> <p>Navigate to sm70\bin and type <code>startup <instance name></code></p> <p><u>Start Process as Windows Service</u></p> <p>Launch Program Group (Settings /Control Panel/Administrative Tools/Services)</p> <p>Select SOA Software Container Instance - Note that the instance name is displayed</p>
----	--

	<p>as the Container Key.</p> <p>From "Actions" menu, select Start.</p> <p><u>Start Process in UNIX</u></p> <p>Navigate to <code>sm70/bin</code> and type <code>startup.sh <instance name></code></p> <p><u>Start Process in UNIX (Background)</u></p> <p>Navigate to <code>sm70/bin</code> and type <code>startup.sh <instance name> -bg</code></p>
--	--

Step 8: Clear Browser Cache

1.	Before launching the "SOA Software Administration Console," clear the browser cache or start a new session in a browser private window. This is necessary to ensure that user interface changes included in the Policy Manager update(s) display properly.
----	--

Step 9: Launch SOA Software Administration Console

1.	<p>Launch the "SOA Software Administration Console" for the updated SOA Container Instance:</p> <p>Enter: <code>http://<hostname>:<port>/admin</code></p>  <p style="text-align: center;">Figure. SOA Software Administration Console—Login</p>
2.	Select the "Admin Console" domain, enter the "Username" and "Password," and click Login . The SOA Software Administration Console launches and displays the "Available

Features" tab.






Figure. SOA Software Administration Console—Available Features Tab

Step 10: Refresh Repository

1. Select the "Repository" tab and verify that the repository for the installed update is present. If it is not, click Refresh  to update the repository. The repository name is "SOA Software Platform Default Repository 7.0.0."



2. If your SOA Container *does not* have Policy Manager features (SOA Software Policy Manager Console and SOA Software Policy Manager Services) installed, the upgrade is complete.
If your SOA Container *does* have Policy Manager features (SOA Software Policy Manager Console and SOA Software Policy Manager Services) installed, continue with Steps 11, 12, 13, 14 (if applicable), and 15.

Step 11: Update Schemas (for SOA Containers with Policy Manager Features Installed)

1. If you've installed and configured the Policy Manager features (SOA Software Policy Manager Console and SOA Software Policy Manager Services) on your SOA Container, go to *Installed Features > Pending Installation Tasks* and select **Complete Confirmation** to add the new schemas.

In the "Manage Schemas Wizard" add the new schemas from the "Available Schemas" section. If multiple Policy Manager instances are configured for load balancing purposes, this step is required on only one of the Policy Manager instances.

Available Schemas


<input checked="" type="checkbox"/>	Name	Version	Description
<input checked="" type="checkbox"/>	Policy Manager	7.0.0	Policy Manager Update 7.0.0 Schema and Data additions

Step 12: Turn on simple.scheduler.enabled Property (for updated PM70 SOA Containers with Policy Manager Features Installed)

2. After you have completed the schema update process, you must configure the `simple.scheduler.enabled` property to **True**. To do this:

1. Launch the *SOA Software Administration Console* for PM70.
2. Click the "Configuration" tab.
3. In the "Configuration Categories" section select `com.soa.scheduler`.
4. For the `simple.scheduler.enabled` property, select **True** from the drop-down list box.
5. Click **Apply Changes** to save your entry.

Note: This task should be performed on the Policy Manager container instance only.



Step 13: Restart SOA Container (for SOA Containers with Policy Manager Features Installed)

1.	To complete the upgrade, restart the container.
2.	The upgrade process is now complete.

Step 14: Set Quartz Trigger Property to True (MSSQL only)

1.	<p>If your PM70 container instance is configured with MSSQL, you must set the quartz trigger property to True. This is a required to prevent database dead-locks. To do this:</p> <ul style="list-style-type: none"> • Launch the SOA Software Administration Console. • Select the <i>Configuration</i> tab and the com.soa.scheduler.quartz Configuration Category. • Change the org.quartz.jobStore.acquireTriggersWithinLock property to True.
----	---

Step 15: Update Container Metadata

1.	<p>The final step in the upgrade process is the update the Metadata URL and Authentication Options of each container you upgraded. This is accomplished using the Update Container Metadata function in the "Containers" section of the <i>Policy Manager Management Console</i>. This process updates the container capabilities to support the latest features.</p> <p>From the <i>Containers</i> folder, select the PM70 container. From the "Actions Portlet"</p>
----	--

select **Update Container Metadata.**

Enter the Metadata URL for the container being updated (i.e. http://<pm_host>:<pm_port>/metadata or http://<nd_host>:<nd_port>/metadata) or the Metadata Path.

If Authentication options are being used or updated, select the authentication options.

If the Metadata URL is not accessible from the Policy Manager, the metadata can be updated from a file by accessing the Metadata URL from a machine that has access to the container and saving the metadata document to a file.

SOA Software Policy Manager - Update Container Metadata Wizard - Windows Internet Explorer

POLICY MANAGER™

Specify Metadata Import Options

The "Specify Metadata Import Options" screen is used to specify the location of the container's metadata. Two options for specifying the Metadata location are provided: Metadata URL and Metadata Path.

If you select the "Metadata URL" option, specify a URL to the metadata document describing the container. In the "Authentication Options" section you must also select one of three authentication options including: "Anonymous," "Logged in User," or "Specify Credentials."

If you select the "Metadata Path" option, click "Browse" to select the file system path of the metadata document.

Select the radio button of the Metadata Import Option and configure as appropriate. After completing your entries, click "Apply." The metadata is retrieved and parsed.

[Help](#)

Metadata Import Options

Select the mechanism for obtaining the container's metadata document.

Metadata URL:
This option is used to enter the URL address that represents the location where metadata will be retrieved.

Authentication Options

Anonymous
This option does not pass user credentials to the container to retrieve its metadata.

Logged in User
This option passes the current logged in user's credentials to the container to retrieve its metadata.

Specify Credentials
This option passes the supplied credentials in the Username, Password, and Domain fields to the container to retrieve its metadata.

Username:
Password:
Domain:

Metadata Path:
This option is used to enter the file system path of the metadata document.

3 About SOA Software

SOA Software is a leading provider of unified SOA governance and API Management products that enable organizations to successfully plan, build, and run enterprise services and Open APIs. The world's largest companies including Bank of America, Verizon, and Pfizer use SOA Software solutions to transform their business. For more information, please visit <http://www.soa.com>.